

## **Uttar Pradesh Medical Supplies Corporation Limited**

**Registered office**: SUDA Building,7/23 Sec-7,Gomti Nagar Extension,Lucknow-226002 Website: <a href="https://www.upmsc.in">www.upmsc.in</a> E-Mail: <a href="mailto:gm.scm@upmsc.in">gm.scm@upmsc.in</a> Contact No.: <a href="mailto:0522-2838102">0522-2838102</a>

Date- 24.7.2024

## **Corrigendum**

With reference to Bid No. GEM/2024/B/5142897 HDPE / PE Plastic Pallets (Injection Moulded) (Q3 Category) dated 09-07-2024; a corrigendum is being issued as follows:

## A) Technical Corrigendum

S.N.	Reference of Tender Clause	Current Clause	Revised Clause
1	Additional Term and Condition	As per ATC Doc- Minimum Dynamic Load - 600 Kg Minimum Static Load - 600 Kg	As per Tender ATC Clause (No Change)

## B) Date Corrigendum

S.N.	Reference of Tender  Date	Previous Date	Revised Date
1 Last Date and Time for Online Submission of BID		30-07-2024 16:00:00	09 Aug 2024 up to 04:00 PM
2	Date and Time of Opening of Technical BID	30-07-2024 16:30:00	09 Aug 2024 up to 04:30 PM

All other terms & conditions of the tender document shall remain same.

MANAGING DIRECTOR UPMSCL

PLASTIC PALLETS (INJECTION MOULDED)					
Specification	Title	Bid Requirement (Allowed Values)			
GENERIC: HDPE/PE PLASTIC PALLETS (INJECTION MOULDED)	Туре	runne pallet	eversible heavy duty plastic pallets with three rs (suitable to transport with battery operated truck or hand pallet truck) - there is a specific ce and a different specific bottom face, both of which are not interchangeable,		
	Dimension of Single Pallet	ı	2 way Non-reversible steel inforcement, ry for MHE (Material handling equipment)- (Forklift entry-1000 mm side)		
	Thickness of runners (specially for middle runner)		150 mm		
	Pallet Design		Perforated Pallet with 3 longitudinal skids and strapping hooks		
	Top Surface	Perf	orated Top with 12 numbers of grommet on grilled deck		
	Bottom Surface	Perfor	rated Bottom with 12 numbers of grommet on grilled deck		
	Minimum Dynamic Load suitability		600 Kg		
	Minimum Uniformly distributed Static Load suitability		600 Kg		
	Pallet should be Washable		Yes		
	Length	1200 mm			
	Width	1000 mm			
	Height	160 ± 10 mm			
	Tolerance in Dimensions	+/-10 mm (for Length, Width and Height)			
	Material for Construction of Plastic Pallet	Injection moulding grade Virgin HDPE as per IS 7328 as amended up to date			
	Other Requirement	Uniform Finish			
	Fixing and Fitting (Completae Installation) at particular DWH	Com	plete setup and Installation by the firm as per the requirement		
OTHER REQ					
1	Experience Criteria		3 years		
2	OEM Authorization Certific	ate	Required		
3	MSE Category Certificate	)	Required		

4	MSME-State	Required
5	Signed Declaration for all ATC	Required
6	Product warranty	5 years
7	Quality Certification	Required
8	Construction material certification	Required
9	Make/ Model	Required
10	Amount of Last 3 Years Averge Turnover	50% of Bid Value (Bidder turnover)
11	EMD	2%
12	PBG	5%
13	Bid Value	160 lakhs
14	Non-Blacklisting/Liquidation Declaration	Required
15	last three FY Turnover (2021-22, 2022-23, 23-24 (Provisional )	Required (Should be certified by CA with UDIN and updated on ICAI website)
16	GST,PAN, ITR	Required
17	EMD Exemption Certificate	Required
18	ePBG holding duration	warranty period + 6 months

- Demo of product will be conducted at Barabanki drug warehouse of technically qualified bidders.
- · Evaluation Committee will evaluate the product for fulfill all the requirements of bid during demo.
- · After compliance of the above mentioned points the technically and demo qualified bidder will be considered for financial evaluation.