



# UTTAR PRADESH MEDICAL SUPPLIES CORPORATION LTD.

Regd. Office: SUDA Bhawan, 7/23, Sector-7, Gomti Nagar Extension, Lucknow-226 010

Ph: 0522 2838102 e-mail: drugs@upmsc.in

## Provisional List of bidders/items of tender no. UPMSCL/Drugs-179/019

Date: 06.03.2023

In reference to below observations, if any firm have a clarification/representation regarding any firm/items, then it must be communicated to UPMSCL through e-mail i.e. drugs@upmsc.in before 05:00 PM, **13.03.2023**. No communication thereafter in this regard shall be entertained by UPMSCL.

S. No	Bidder Name	Firm not eligibility remarks	Drug Code	Item name	Item not eligibility remarks
1	Alpine Bio medicals Private Limited	60 days production capacity certificate is not issued by FDA/competent authority. Mfg. Lic. No. 799-B(H) is valid up to 28/12/2022 which was expired on tender closing date. As per format VIII for RDT (HEPA-B) and RDT-(HEPA-C ) no batch has been manufactured in the year 2018, 2020. 3 years not established as per market standing certificate submitted by the firm.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Market standing certificate of RDT malaria not signed by the competent authority. .
2	Aspen Laboratories Pvt. Ltd.	Non-conviction certificate submitted is older than 6 months. 60 days production capacity certificate is not issued by FDA/competent authority..	RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	3 year market standing is not established.
3	Avantor Performance Materials India Pvt. Ltd.	Items are not highlighted in product permission certificate and 3 year market standing certificate. Hence product permission certificate & market standing certificate documents are not evaluated.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Item is not highlighted in the 3 year market standing certificate; hence market standing certificate documents are not evaluated.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Item is not highlighted in the 3 year market standing certificate; hence market standing certificate documents are not evaluated.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Item is not highlighted in the 3 year market standing certificate hence market standing certificate documents are not evaluated.
4	Avecon Healthcare Pvt. Ltd.	Non-conviction certificate is older than 6 months.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.

S. No	Bidder Name	Firm not eligibility remarks	Drug Code	Item name	Item not eligibility remarks
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
5	Bhat Bio-Tech India (P) Ltd.	60 days production capacity certificate is not issued by FDA/competent authority. Items are not highlighted in the 3 year market standing certificate; hence market standing certificate documents are not evaluated. 3 years not established for market standing.	RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Items are not highlighted in the 3 year market standing certificate; hence market standing certificate documents are not evaluated.
			RDT (HIV)	Rapid Diagnostic Kit for HIV	Item is not highlighted in the 3 year market standing certificate; hence market standing certificate documents are not evaluated.
6	Biogenix Inc. Pvt. Ltd.	60 days production capacity certificate is not issued by FDA/competent authority. Mfg. Lic. No. MFG/IVD/2020/00068 is valid up to 21/06/2022 as per QMS certificate.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	3 year market standing is not established as per tender.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	3 year market standing is not established as per tender.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. 3 year market standing is not established as per tender.
			RDT (HIV)	Rapid Diagnostic Kit for HIV	3 year market standing is not established as per tender.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. 3 year market standing is not established as per tender.
7	Cupid Limited	60 days production capacity is not issued by FDA/competent authority. Tender processing fee and EMD is not identified.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	3 year market standing is not established.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	3 year market standing is not established.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	3 year market standing is not established.
8	Mediclone Biotech Private Limited	Turnover criteria are not fulfilled as per tender requirement.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT	Rapid Diagnostic	Test report from Govt. authorized lab as per WHO guideline not

S. No	Bidder Name	Firm not eligibility remarks	Drug Code	Item name	Item not eligibility remarks
				Kit For Malaria <sup>s</sup>	submitted for the quoted item.
			RDT (HIV)	Rapid Diagnostic Kit for HIV	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
9	Medsorce Ozone Biomedicals Pvt. Ltd.	Non-conviction certificate is older than 6 months. 60 days production capacity certificate is not issued by FDA/competent authority.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Monthly committed quantity is not as per tender requirement and litre is mentioned in the format XVII
10	Meril Diagnostics Pvt. Ltd.	QMS Certificate is not submitted by the firm. Non-conviction certificate is older than 6 months. 60 days production capacity certificate is not issued by FDA/competent authority. Firm has not highlighted product in product permission certificate and 3 year market standing certificate. Hence product permission certificate & market standing certificate documents are not evaluated. Monthly committed quantity is not mentioned in format XVII as per tender.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
11	Mylab Discovery Solutions Private Ltd.	Non-conviction certificate is not issued by DLA/competent authority. Format-V is given with deviation for RDT malaria. Manufacturing experience certificate (as per format-VIII) is given for 1 year only. In product permission item is not highlighted. 3 year market standing certificate is not submitted by the firm.	RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
12	Oscar Medicare Private Limited	QMS Certificate is not submitted. For Mfg. Lic. No. MFG/IVD/2020/000040 non-conviction certificate is not submitted by the firm.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	
		Formats are not notarized and copy of bid document is not legible. Firm has not highlighted the products in the	RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	

S. No	Bidder Name	Firm not eligibility remarks	Drug Code	Item name	Item not eligibility remarks
		product permission and 3 year market standing certificate. Hence product permission certificate & market standing certificate documents are not evaluated. In Format VIII, firm has declared that RDT (HIV) was not manufactured in the year 2019, 2020. Monthly committed quantity is not mentioned in format XVII.	RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	
13	Q-Line Biotech Private Limited	Firm has not submitted the non-conviction certificate as per manufacturing license. Products are not highlighted in product permission certificate and in 3 year market standing certificate. Hence product permission certificate & market standing certificate documents are not evaluated. 60 days production capacity certificate, Format-XVII and manufacturing license are not submitted.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	
			RDT (HIV)	Rapid Diagnostic Kit for HIV	
14	Reckon Diagnostics P. Ltd.	Tender processing fee and EMD is not identified. 60 days production capacity certificate is not issued by FDA/competent authority.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HIV)	Rapid Diagnostic Kit for HIV	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Product permission certificate and 3 year market standing certificate not submitted by the firm.
15	Recombigen Laboratories Pvt. Ltd.		RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
16	SD Biosensor Healthcare Pvt. Ltd.	Non-conviction certificate for drug code (RDT Hepa-C) is issued on 18/04/2022 and for drug code RDT is issued on 09/02/2022. Both the	RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.

S. No	Bidder Name	Firm not eligibility remarks	Drug Code	Item name	Item not eligibility remarks
		non conviction certificates are older than 6 months.	RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
17	Seloi Healthcare Pvt. Ltd.	In product permission certificate firm has not highlighted the quoted products. Hence product permission certificate documents are not evaluated. 3 year market standing certificate is not submitted by the firm. In Format-VIII, firm has declared that no experience is available in previous year of manufacturing for RDT (HEPA-B), RDT (HEPA-C) and RDT (HIV).	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Monthly committed quantity is not as per tender requirement.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Monthly committed quantity is not as per tender requirement.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Monthly committed quantity is not as per tender requirement.
			RDT (HIV)	Rapid Diagnostic Kit for HIV	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Monthly committed quantity is not as per tender requirement.
18	Voxtur Bio Ltd.	60 days production capacity certificate not submitted by the firm. Firm has submitted unsigned copy of non-conviction certificate from competent authority. Incorrect manufacturing Lic. No. is mentioned in Format-V for RDT-Malaria and wrong drug code is mentioned in product permission certificate. Firm has not highlighted the item quoted in market standing certificate; hence market standing certificate documents not evaluated. No digital signature of competent authority is found in market standing certificate. Turnover certificate is not signed by CA.	RDT (HEPA-B)	Rapid Diagnostic Kit For Hepatitis-B	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HEPA-C)	Rapid Diagnostic Kit for Hepatitis-C	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT	Rapid Diagnostic Kit For Malaria <sup>s</sup>	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.
			RDT (HIV)	Rapid Diagnostic Kit for HIV	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item. Monthly committed quantity not mentioned in format XVII.
			RDT (RPR)	Rapid Diagnostic Kit for Rapid Plasma Reagin	Test report from Govt. authorized lab as per WHO guideline not submitted for the quoted item.

**Managing Director**

**UPMSCL**