



UTTAR PRADESH MEDICAL SUPPLIES CORPORATION LTD.

(A Government of Uttar Pradesh Undertaking)

Regd. Office: SUDA Bhawan, 7/23, Sector-7, Gomti Nagar Extension, Lucknow-226 010

Corrigendum-1 dated 24.12.2020

With reference to tender no. UPMSCL/Drugs-085/289 dated 21 December, 2020 a corrigendum is being issued as follows:

S. No.	Reference of tender document-	Existing	Revised/ clarification
01	(Annexure-A) Drug Code-N-95 (A) Mask (N-95) without valve	1. Firms require to submit copy of original certificate issued by NIOSH-42C FR84 (The National Institute for Occupational Safety and Health) & EN149-2001 issued for N-95 mask. 2. Firms require to submit DRDE certificate following all 5 technical standards drafted and maintained by DRDE (Defence Research and Development Establishment) i.e. a) Particulates Filtration Efficiency (PFE) for mask with exhalation valve b) Breathing (inhalation) Resistance (BIR) for mask with exhalation valve. c) Breathing (exhalation) Resistance for mask with exhalation valve. d) Flammability (FLM) for mask with exhalation valve. e) Splash Resistance (SPR) for mask with exhalation valve.	Firms require to submit copy of original certificate issued by NIOSH-42C FR84 (The National Institute for Occupational Safety and Health) certificate issued for N-95 mask OR Firms require to submit copy of original certificate of EN149-2001 certificate issued for N-95 mask OR Firms require to submit DRDE/BIS test certificate following all 5 technical standards drafted and maintained by DRDE (Defence Research and Development Establishment)/ BIS (BUREAU OF INDIAN STANDARDS) i.e. a) Particulates Filtration Efficiency (PFE) for mask b) Breathing (inhalation) Resistance (BIR) for mask. c) Breathing (exhalation) Resistance for mask d) Flammability (FLM) for mask e) Splash Resistance (SPR) for mask
02	<u>Annexure A</u>	Added	<ul style="list-style-type: none">Secondary packing consisting of 50pcs (individually packed mask).
03	Format – VI	NOTE: In case the audited balance sheet for 2017-2018 is not ready provisional balance sheet shall be acceptable.	NOTE: In case the audited balance sheet for 2019-2020 is not ready provisional balance sheet shall be acceptable.

All other terms & conditions of the tender document shall remain same.

MANAGING DIRECTOR
UPMSCL