



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/5095945
Dated/दिनांक : 03-07-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	24-07-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	24-07-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Uttar Pradesh
Department Name/विभाग का नाम	Medical Health And Family Welfare Department Uttar Pradesh
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Lucknow Hq
Total Quantity/कुल मात्रा	4
Item Category/मद केटेगरी	Potable Water Purification System with Inbuilt Water Cooler (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination

Bid Details/बिड विवरण

Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	600000
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	12000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	42

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Managing Director
Uttar Pradesh Medical Supplies Corporation Limited, Suda Bhawan, 7/23 Sector-7 Gomti Nagar, Lucknow-226002
Uttar Pradesh.
(Jagdish)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

5. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
12-07-2024 12:00:00	Uttar Pradesh Medical Supplies Corporation Limited, Suda Bhawan, Lucknow HQ, Medical Health and Family Welfare Department Uttar Pradesh,

Potable Water Purification System With Inbuilt Water Cooler (4 pieces)**Technical Specifications/तकनीकी विशिष्टियाँ**

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Standard Parameter	Certification for the product	CE, WQA
	Conformity to Standard for Ultraviolet system	IS 14724 (latest) for water purification system with Ultraviolet disinfection
Performance Parameter	Type of water purification technology	RO, RO +UV
	Power consumptions of system (with ± 5% tolerance) (in watt)	300, 400, 575, 775, 950, 1300, 1550, 2200
	Maximum Input Water TDS allow to the system	1000, 2000, 3000
	Operation mode	Fully automatic with auto cut off
	Ultraviolet (UV) LAMP	Yes Or higher
	Provision of Arsenic removal	Yes Or higher
	Provision of Fluoride removal	Yes Or higher
	Provision of Chloride removal	Yes Or higher
	Alkaline filter	Yes Or higher
	Material of water Storage Tank	Stainless Steel SS 304
	Storage tank capacity up to float valve level (in liter)	120
	RO Membrane rating	75 GPD, 80 GPD, 100 GPD, 150 GPD, NA
	RO Membrane flushing	Auto flush at every start, every stop and every one hour for 1 minutes
	Particulate Filter size	10 inch, 20 inch
	Particulate Filter Porosity	5 micron, 10 micron, 20 micron
	Activated Carbon filter Size	10 Inch, 20 Inch
	Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm	Yes, No Or higher
	Nano Silver leaching filtration	Yes, No Or higher
	Minimum inlet pressure	0.3 KG/CM2, 0.6 KG/CM2, 1 KG/CM2
	Digital display	Yes, No Or higher
Real time TDS display	Yes, No Or higher	
Real time pH Display	Yes, No Or higher	
High pressure pump	Yes, No Or higher	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Raw water/Chemical Raw water/Chemical Cleaning pump	Yes, No Or higher
	Recovery percentage at 27 degree centigrade	25-35, 30-40, 50-60, 70-80, 90-100
	Filtration water capacity in liter/ hour	50, 80, 100, 120
	TDS removal percentage from RO Membrane	90%
	Pressure vessel Sand Filter	Yes, No Or higher
	Pressure vessel Carbon Filter	Yes, No Or higher
	Pressure Vessel Dual Media Filter	Yes, No Or higher
	Body of filter	ABS Food grade, MS Powder Coating, Stainless Steel
	Membrane Housing	Yes Or higher
	Number of candles	2, 3, 4, 5, 6 or more
Cooler Parameters	Type of compressor	Rotary, Reciprocating
	Refrigerant Used	HFC-R-134/A
	Refrigeration temperature	15 to 17
	Provision for Hot water	Yes, No Or higher
	Number of Cold Water Faucets	1
	Number of Normal Water Faucets	1
	Number of Hot Water Faucets	1, 2, 3, Na
	Cooling capacity at comfort level (17 ± 1 degree celsius) (in liter per hour)	10, 20, 40, 60, 80
	Installation Type	Floor Mounted, Floor Mounted and Enclosed
	Power supply	SINGLE PHASE (230 ± 10 % VOLT,%0 Hz), Three phase (415 ± 10 % VOLT,%0 Hz)
	Warranty in years including electronic ,electric parts, replacement of filters twice a year)	1, 2, 3, NA
	Warranty period without Filter , electronic and electrical parts	1, 2, 3, Na

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Warranty period without Filter & inclusive of electronic and electrical parts	1, 2, 3, NA
Additional Parameters	Availability of type test Test REPORT for Filtering Size of Particles	Yes, No Or higher
	Availability of Test Report on Microbial Efficacy from Govt/NABL/ilac Lab	Yes, No Or higher
	Availability of type test certificate from NABL/ILAC Lab design evaluation report as per IS 14724	Yes, No Or higher
	Availability of toll free centres for customer support	Yes, No Or higher
	Installation and Commissioning inclusive in the scope of Supply*	Yes Or higher
	Availability of NABL Accredited Laboratory Facility with OEM	Yes, No Or higher
	Inlet Pipe & Fitting from raw water sources to water purification system	suitable pipe and fitting to be provided by seller up to 20 feet
	Pipe & Fitting from Out let to purified water tank	to be arranged by seller (upto 20 feet)
	Electrical fitting and plug points	To be arranged by buyer /consignee
	ISI marked Electronic and electrical parts provided	Yes Or higher
Scope Civil Work if any required during installation	All Civil work shall be responsibility of buyer	

Additional Specification Parameters - Potable Water Purification System With Inbuilt Water Cooler (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Warranty and certification	Warranty 3 years on site + 5 year AMC , BIS certification

Specification Parameter Name	Bid Requirement (Allowed Values)
Consignee location for Lucknow	Lucknow consignee material will be delivered directly to Sitapur drug warehouse, Sitapur (Contact person- Desh Deepak Tripathi , Mobile no.- 9453740923). Final consignee name and address for all 4 districts will be provided after award of tender.
Payment terms	Equipment value will be released after the successful supply and installation, whereas AMC amount may be released separately after expiry of warranty period either in yearly mode/instance.
Evaluation method	Equipment value + AMC value will be considered as total value of equipment and taken up for financial evaluation (Mention total value in price quote, whereas bifurcation of these two values mentioned separately.
Name Consideration	Potable water purification system with inbuilt water cooler

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anoop Kumar Srivastava	226020,CWC, Navveen Fal Mandi, Sitapur Road, Lucknow	1	90
2	Tilak Ram	225001,CMO Office barabanki, CMSD store, Near K D singh Babu Stadium, in front of adarsh police kotwali, barabanki pincode 225001	1	90
3	Prashant Shukla	229001,Nand Public School Madhuban market Ayodhyapuri Rae bareilly-229001	1	90
4	Shriram	242001,Ahmadpur Niwazpur in front of Bye-Pass Lucknow-Bareilly Highway, Shahjahapur-242001	1	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

- Demo of product will be conducted at UPMSCL HQ, Lucknow of technically qualified bidders.
- Evaluation Committee will evaluate the product for fulfill all the requirements of bid during demo.
- After compliance of the above mentioned points the technically and demo qualified bidder will be considered for financial evaluation.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई

का आधार होगा।

---Thank You/धन्यवाद---